

Technical Data Sheet

TAGET OIL - TAGET0002

Reference : TAGET OIL - TAGET0002

TECHNICAL DATA

Relative density (d20/20) : [0,870 ; 0,900]
Flash point : 60 °C
Refractive index at 20°C : [1,485 ; 1,505]
Angular rotation (°) : [+1 ; +10]
Odor : Herbaceous
Color : Orangey
Appearance : liquid
Manufacturing process : Obtained by steam distillation of the plant of Tagetes glandulifera
I.N.C.I : TAGETES MINUTA FLOWER OIL
hydrocarbons content : 45%












TRANSPORT-STORAGE

Custom tariff : 33012941
STORAGE CONDITIONS : Store product in full, tightly closed containers

LEGISLATION :

FEMA : 3040
EINECS : 294-862-7
C.A.S : 8016-84-0 91770-75-1

Labeling :

-  AH1 Aspiration hazard 1
-  EHC2 Hazardous to the aquatic environment, long-term hazard 2
-  FL3 Flammable Liquids 3
-  SCI2 Skin corrosion / irritation 2
-  SS1 Sensitisation skin 1
-  H226 - Flammable liquid and vapour.
-  H304 - May be fatal if swallowed and enters airways.
-  H315 - Causes skin irritation.
-  H317 - May cause an allergic skin reaction.
-  H411 - Toxic to aquatic life with long lasting effects.
-  P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
- P233 - Keep container tightly closed.
- P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.
- P242 - Use only non-sparking tools.
- P243 - Take precautionary measures against static discharge
- P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.