

# Material security data sheet

Printed : 08/12/2016

Review : 001NEW-6-CLP du 08/12/2016

## THYME OIL RED - THYM0002

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1. Product identifier

THYME OIL RED - THYM0002

**C.A.S Number** : 8007-46-3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

NOT RELEVANT

#### 1.3. Details of the supplier of the safety data sheet

**AROMIUM**  
c/Verdi 321 bx. 2º 08024 Barcelona  
Tf.: 93-2840606 email: info@aromium.es

#### 1.4. Emergency telephone number

NOT RELEVANT

### 2. HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

GHS classification in conformity with directive 1272/2008

(RegulationCLP)

AH1 Aspiration hazard 1  
ATO4 Acute toxicity oral 4  
EDI1 Serious eye damage / eye irritation 1  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
FL3 Flammable Liquids 3  
SCI1C Skin corrosion / irritation 1C  
SS1A Sensitisation, skin 1A

H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H304 - May be fatal if swallowed and enters airways.  
H314 - Causes severe skin burns and eye damage.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.  
H411 - Toxic to aquatic life with long lasting effects.

Conform with UE 67/548/CEE et 1999/45/CE :

- Physico-chemical Hazards : F-  
R10:Flammable.

- Health Hazards : C  
R22:Harmful if swallowed.  
R34:Causes burns.  
R43:May cause sensitization by skin contact.

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

R65:Harmful: May cause lung damage if swallowed.

- Environmental Hazards : N

R51-53:Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

## 2.2. Label elements

GHS classification in conformity with directive 1272/2008

(RegulationCLP)

Warning mention : Danger

AH1 Aspiration hazard 1  
ATO4 Acute toxicity oral 4  
ED11 Serious eye damage / eye irritation 1  
EHC2 Hazardous to the aquatic environment, long-term hazard 2  
FL3 Flammable Liquids 3  
SCI1C Skin corrosion / irritation 1C  
SS1A Sensitisation, skin 1A

H226 - Flammable liquid and vapour.  
H302 - Harmful if swallowed.  
H304 - May be fatal if swallowed and enters airways.  
H314 - Causes severe skin burns and eye damage.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.  
H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 - Keep container tightly closed.  
P241 - Use explosion-proof electrical/ventilating/lighting/.../equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.



Conform with UE 67/548/CEE et 1999/45/CE :

- Physico-chemical Hazards : F-  
R10:Flammable.

- Health Hazards : C  
R22:Harmful if swallowed.  
R34:Causes burns.  
R43:May cause sensitization by skin contact.  
R65:Harmful: May cause lung damage if swallowed.

- Environmental Hazards : N  
R51-53:Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S24:Avoid contact with skin.  
S26:In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S28:After contact with skin, wash immediately with plenty of ...(to be specified by the manufacturer).  
S36/37/39:Wear suitable protective clothing, gloves and eye/face protection.  
S45:In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

S61: Avoid release to the environment. Refer to special instructions / Safety data sheets.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.



## 2.3. Other hazards

NOT RELEVANT

## 3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

### 3.1. Substances

Material	C.A.S	EINECS	Risk Symbol	Classification CLP	Percent %
paracymène	99-87-6	202-796-7	F-, N, Xn R10 R51-53 R65	AH1, EHC2, FL3 - H226, H304, H411	[ 20-50 ]
thymol	89-83-8	201-944-8	C, N R22 R34 R51-53	ATO4, EHC2, SC11B - H302, H314, H401, H411	[ 20-50 ]
Terpinène Gamma	99-85-4	202-794-6	F-, Xn R10 R65	AH1, FL3 - H226, H304	[ 5-10 ]
Carvacrol	499-75-2	207-889-6	Xn R22 R38 R43	ATO4, EDI2, SCI2, SS1B - H302, H315, H317, H319	[ 1-5 ]
Caryophyllène	87-44-5	201-746-1	Xn R65	AH1 - H304	[ 1-5 ]
Linalool.	78-70-6	201-134-4	Xi R38	EDI2, SCI2 - H315, H319	[ 1-5 ]
Myrcene	123-35-3	204-622-5	F-, Xn R10 R38 R65	AH1, EDI2, FL3, SCI2 - H226, H304, H315, H319	[ 1-5 ]
alpha pinène naturel	80-56-8	201-291-9	F-, Xn R10 R38 R43 R65	AH1, FL3, SCI2, SS1B - H226, H304, H315, H317	[ 1-5 ]
p-Mentha-1,3-diene alpha-terpinene	99-86-5	202-795-1	F-, N, Xn R10 R22 R51-53 R65	AH1, ATO4, EHC2, FL3 - H226, H302, H304, H411	[ 1-5 ]
Borneol Cristallisé	507-70-0	208-080-0	F R11	FS2 - H228	[ 0-1 ]
Terpinene 1 ol 4	562-74-3	209-235-5	Xn R22 R38	ATO4, EDI2, SCI2 - H302, H315, H319	[ 0-1 ]
d,l-Limonene	5989-27-5	227-813-5	F-, N, Xn R10 R38 R43 R50-53 R65	AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]

### 3.2. Mixtures

NOT RELEVANT

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

NOT RELEVANT

### 4.2. Most important symptoms and effects, both acute and delayed

NOT RELEVANT

### 4.3. Indication of any immediate medical attention and special treatment needed

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

**Contact with skin** : wash immediately and abundantly with water and soap. Rinse then with clear water.

**Contact with eyes** : Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophthalmologist.

**In the event of swallowed** : Not make vomit, maintain the patient at rest. Resort to the medical care.

**Soiled clothing** : withdraw soiled clothing and re-use them only after decontamination.

## 5. FIRE FIGHTING

### 5.1. Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### 5.2. Special hazards arising from the substance or mixture

**Flammability** : The product is flammable..

**Prévention** : Do not smoke. Do not use flame near.

### 5.3. Advice for firefighters

Never use a direct stream of water.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment during clean-up.

### 6.2. Environmental precautions

Do not allow to enter sewers/ surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### 6.4. Reference to other sections

NOT RELEVANT

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Close packing after use. Reproduce labelling if transfer in another container.

### 7.2. Conditions for safe storage, including any incompatibilities

-Avoid any useless exposure. Keep away from food and drinks.

-Preserve only in the container of origin in a fresh place and broken down well. Keep the containers closed out of their use.

-Do not leave it near heat source, direct rays of the sun

### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

NOT RELEVANT

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

## 8.2. Exposure controls

**General protective and hygienic measures:** Avoid skin and eyes contact. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

### Personal Protection :

-Hands protection : Protection not required if a good ventilation is maintained.

-Eyes protection : Protection not required if a good ventilation is maintained.

-Respiratory protection : Protection not required if a good ventilation is maintained.

-Ingestion : Do not use, drink and smoke during use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Odor :	<b>aromatic, phenolic, spicy</b>
Color :	<b>Dark yellow to dark brown</b>
Appearance :	<b>liquid</b>
Relative density (d20/20) :	<b>[0.910 ; 0.937]</b>
Flash point ( C ) :	<b>60 C</b>
Refractive index at 20 C :	<b>[1.494 ; 1.504]</b>
Angular rotation ( ) :	<b>[0 ; -6]</b>

### 9.2. Other information

NOT RELEVANT

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

-**Dangerous reactions** : No dangerous reactions known.

### 10.2. Chemical stability

NOT RELEVANT

### 10.3. Possibility of hazardous reactions

NOT RELEVANT

### 10.4. Conditions to avoid

NOT RELEVANT

### 10.5. Incompatible materials

NOT RELEVANT

### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological

**Toxicological Information** : No data available.

**Toxicological Informations Acute** :

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

- **Orale**

1799.986 DL50 (Déterminée)

- **Inhalation**

Non déterminée

- **Skin**

Non déterminée

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

### 12.2. Persistence and degradability

NOT RELEVANT

### 12.3. Bioaccumulative potential

NOT RELEVANT

### 12.4. Mobility in soil

NOT RELEVANT

### 12.5. Results of PBT and vPvB assessment

NOT RELEVANT

### 12.6. Other adverse effects

NOT RELEVANT

## 13. DISPOSAL RECOMMENDATIONS

### 13.1. Waste treatment methods

**Product** : Recommendation : Does not have to be evacuated with the refuse . Not to let penetrate in the sewers.  
**Not cleaned packing** : Recommendation : Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

## 14.1. UN number

ADR : 2924 ( Tunel code :(C/E) )

IMDG:2924

IATA :2924

Custom tariff : **33012941**

## 14.2. UN proper shipping name

ADR : FLAMMABLE LIQUID, CORROSIVE, N.O.S.(Thymol)

IMDG:FLAMMABLE LIQUID, CORROSIVE, N.O.S.(Thymol)

IATA :FLAMMABLE LIQUID, CORROSIVE, N.O.S.(Thymol)

## 14.3. Transport hazard class(es)

ADR : 3 (8)

IMDG:3 (8)

IATA :3 (8)

## 14.4. Packing group

ADR : III

IMDG:III

IATA :III

## 14.5. Environmental hazards

IMDG : NOT RELEVANT

## 14.6. Special precautions for user

NOT RELEVANT

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

NOT RELEVANT

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Class of water contamination (Germany) : WGK 3

### 15.2. Chemical safety assessment

Contient R43 items Carvacrol, alpha pinène naturel, d,l-Limonene . Peut provoquer des allergies.

## 16. OTHER INFORMATION

Full text of phrases H quoted in point 3 :

H226 Flammable liquid and vapour.  
H228 Flammable solid.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H400 Very toxic to aquatic life.  
H401 Toxic to aquatic life  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.

# Material security data sheet

Printed : 08/12/2016

THYME OIL RED - THYM0002

Review : 001NEW-6-CLP du 08/12/2016

Full text of phrases R quoted in point 3 :

- R10 Flammable.
- R22 Harmful if swallowed.
- R38 Irritating to skin.
- R65 Harmful: May cause lung damage if swallowed.
- R11 Highly flammable.
- R34 Causes burns.
- R51-53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R43 May cause sensitization by skin contact.
- R50-53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Material security data sheet according to 2001/58/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modifiedpointslist:3.1 16

